



MyEducationBC

Scheduling Module 6a

Rotations, Pattern Library and Pattern Sets

April 2019 v1.4

Version History

Version	Date	Description
1.0	10 Feb 2015	Initial draft
1.1	12 Aug 2015	Added Rotations, Patterns and Pattern Sets from SM3 created new doc. titled SM6a & SM6b
1.2	17 Jan 2016	Divided SM6 into SM6a & SM6b (new doc.)
1.3	2 Feb 2017	Update screen images to reflect 5.6
1.4	29 Apr 2019	Added hyperlinks to Table of Contents

Confidentiality

This document contains information which is proprietary and confidential to Fujitsu Consulting (Canada) Inc. (including the information of third parties, including but not limited to, Follett of Canada Inc., submitted with their permission). In consideration of receipt of this document, the recipient agrees to treat this information as confidential and to not use or reproduce this information for any purpose other than its evaluation of this proposal or disclose this information to any other person for any purpose, without the express prior consent of Fujitsu Consulting (Canada) Inc. (and any applicable third party.)

Table of Contents

1.0	ROTATIONS	4
1.1	Create a Rotation:	6
2.0	PATTERNS AND PATTERN SETS	7
2.1	Pattern Library	8
2.2	Pattern Sets	12
3.0	APPENDIX A: DETERMINING A SCHOOL'S ROTATION	14
4.0	APPENDIX B: FULL YEAR AND SEMESTER OPTION	18

1.0 Rotations

A rotated master schedule displays the sections of courses, in the order they actually happen on a given day.

There are two ways schools schedulers build master schedules:

1. The most common way is as a Flat schedule. This is very typical for secondary schools and is a direct reflection of the `scheduling board` used. Four (or 8) periods across the top, with various ways to indicated if the section is Full Year or Semester. After the schedule is complete, some kind of rotation is applied. In BCeSIS, that is through the use of Tumble Patterns. No secondary schools create a `scheduling board` with all of the rotations on it; it is far too complex.
2. The second way is a Rotated schedule. This is often done at the middle school level, again it is usually reflected on a `scheduling board`, but as there is more limited choices at a middle school the complexity of building it this way is reduced.

MyEducation BC has the ability to **build** a Flat schedule and then rotate it, after it is built. The master schedule, student schedules and attendance are all displayed, based on the `rotation` created.

Note: Schools that have double periods and take attendance in both periods must create a rotation.

Consideration should be given to the decision to rotate a schedule or not, as it will impact all users in these areas. The following section shows the results, views and discusses the implications of a using a rotated schedule.

For example, assume a school wants to rotate the schedule from a 2-day x 6-period matrix to a 6-day x 7-period matrix, as shown below.

		Days	
		Day 1	Day 2
Periods	1		
	2		
	3		
	4		
	5		
	6		

		Days					
		1	2	3	4	5	6
Periods	1						
	2						
	3						
	4						
	5						
	6						
	7						

Master schedule, showing flat un-rotated and rotated schedule expressions:

CrsCode	Description	GrdLvl	SecNo	ScheduleTerm	Code	Unrotated Schedule	Schedule	Primary Staff > Name	Total	Max	Classrm
MEN--11	ENGLISH 11	11	24	FY		2(4)	2(4) 4(3) 6(2) 8(1)	Knappett, Eln	32	30	213
MEN--08	ENGLISH LANGUAGE ARTS 8	08	05	FY		2(3)	2(3) 4(4) 6(1) 8(2)	Knappett, Eln	31	30	213
MFNS-12	BC FIRST NATIONS STUDIES 12	12	12	FY		1(2)	1(2) 3(1) 5(4) 7(3)	Hajjal, Jamespaul	31	30	214
MSC--08	SCIENCE 8 INCENTIVE	08	05	FY		2(1)	2(1) 4(2) 6(3) 8(4)	Davidesau, Ties	31	30	202
MSS--08	INDIVIDUALS AND SOCIETIES 8 INCENTIVE	08	05	FY		1(4)	1(4) 3(3) 5(2) 7(1)	Mellenramsay, Ronlesle	31	30	116

Student schedule corresponding to a flat un-rotated schedule:

	Day 1 -	Day 2 -
1.1	MCKT-1A-01 PROFESSIONAL COOK 1 11A Salazar, Gabrielle C145	MENFA10-05 ENGLISH FOUNDATIONS LEVEL 1 Saffrey, Kazuko D246
2.2	MENFA10-05 ENGLISH FOUNDATIONS LEVEL 1 Saffrey, Kazuko D246	MCKT-1A-01 PROFESSIONAL COOK 1 11A Salazar, Gabrielle C145
3.3	MSC-10-02 SCIENCE 10 Noreen, Cue B230	MEN-10-05 ENGLISH 10 Wark, Jamison B215
4.4	MEN-10-05 ENGLISH 10 Wark, Jamison B215	MSC-10-02 SCIENCE 10 Noreen, Cue B230
5.5		
6.6		

Student schedule corresponding to a rotated schedule:

	1 - 1	2 - 2	3 -	4 -	5 -	6 -	7 -	8 -
1-1	MEN--11-11 ENGLISH 11 Pfbfd, V. P6	MVAMT11-21 PHOTOGRAPHY 11 Rukog, D. 124	YHEC-1A-12 BAKING AND PASTRY ARTS 11 Sept, Sueandbarry 108	MSS--11-22 SOCIAL STUDIES 11 Appuf, F. 114	MPLAN10LEA-13 LEADERSHIP 11 Appuf, F. 114	MBI--11-23 BIOLOGY 11 Hoampeyhpl, V. 203	MAWM-11-14 APPRENTICESHIP AND WORKPLACE MATH 11 Pohsvgt, P. 206	MSACS11-24 CERAMICS AND SCULPTURE 11 Rukog, D. 124
2-2	YHEC-1A-12 BAKING AND PASTRY ARTS 11 Sept, Sueandbarry 108	MSS--11-22 SOCIAL STUDIES 11 Appuf, F. 114	MEN--11-11 ENGLISH 11 Pfbfd, V. P6	MVAMT11-21 PHOTOGRAPHY 11 Rukog, D. 124	MAWM-11-14 APPRENTICESHIP AND WORKPLACE MATH 11 Pohsvgt, P. 206	MSACS11-24 CERAMICS AND SCULPTURE 11 Rukog, D. 124	MPLAN10LEA-13 LEADERSHIP 11 Appuf, F. 114	MBI--11-23 BIOLOGY 11 Hoampeyhpl, V. 203
3-3	MPLAN10LEA-13 LEADERSHIP 11 Appuf, F. 114	MBI--11-23 BIOLOGY 11 Hoampeyhpl, V. 203	MAWM-11-14 APPRENTICESHIP AND WORKPLACE MATH 11 Pohsvgt, P. 206	MSACS11-24 CERAMICS AND SCULPTURE 11 Rukog, D. 124	MEN--11-11 ENGLISH 11 Pfbfd, V. P6	MVAMT11-21 PHOTOGRAPHY 11 Rukog, D. 124	YHEC-1A-12 BAKING AND PASTRY ARTS 11 Sept, Sueandbarry 108	MSS--11-22 SOCIAL STUDIES 11 Appuf, F. 114
4-4	MAWM-11-14 APPRENTICESHIP AND WORKPLACE MATH 11 Pohsvgt, P. 206	MSACS11-24 CERAMICS AND SCULPTURE 11 Rukog, D. 124	MPLAN10LEA-13 LEADERSHIP 11 Appuf, F. 114	MBI--11-23 BIOLOGY 11 Hoampeyhpl, V. 203	YHEC-1A-12 BAKING AND PASTRY ARTS 11 Sept, Sueandbarry 108	MSS--11-22 SOCIAL STUDIES 11 Appuf, F. 114	MEN--11-11 ENGLISH 11 Pfbfd, V. P6	MVAMT11-21 PHOTOGRAPHY 11 Rukog, D. 124
5-5								
6-6								
7-7								

Class Office:

The periods displayed in this view reflect the time slots of the day in a flat un-rotated schedule. If the schedule had been rotated, the periods displayed reflect the actual order of the rotated blocks on that given date.

Class Attendance Office Input

Daily Office												
Options Reports Help Search on Name												
Daily Roster 1 Aaron, Duncandetch 0 of 745 selected Date 07/02/2017												
Name	Usual Name	Pupil #	Grade	Daily Code	1	2	3	4	5	6	7	8
<input type="checkbox"/>	Aaron, Duncandetch	Aaron, Duncandetch	1368261	12
<input type="checkbox"/>	Abaskhalil, Amadulah	Abaskhalil, Amadulah	553695	12
<input type="checkbox"/>	Abazi, Catinas	Abazi, Catinas	650438	11
<input type="checkbox"/>	Abeeke, Caroledeve	Abeeke, Caroledeve	623310	12
<input type="checkbox"/>	Adubofourpoku, Patricia	Adubofourpoku, Patricia	650505	08

1.1 Create a Rotation:

1. Log on to the Build view.
2. Click the **Scenario** tab.
3. Select the scenario you want to rotate, and click the **Rotations** side-tab.
4. On the **Options** menu, click **Add**. The New Schedule Rotation page appears.
5. Type the rotation ID and a description.
6. Type the rotated dimensions. This creates the proper size matrix for you to identify the rotation map.
7. Select the **Differs by term** checkbox if you want to define a different rotation for each schedule term. If you select the checkbox, the **Select Term** drop-down appears. Select the first term you want to define a map for.
8. On the original schedule matrix on the left-hand side of the page, select a period and day. Then, on the rotated schedule matrix on the right-hand side of the page, select the periods and days in which you want that period to meet. Repeat this process for all periods and days.

If you select the **Differs by term** checkbox, define the rotation map for each non-overlapping term that spans the entire school year. For example, you might define rotations for Semester 1,


Quarter 3 and Quarter 4. To define rotations that differ by term, select a term at the **Select Term** field each time you finish a map for a term.

Note: Switching back and forth between terms does not delete the rotations you are creating; you cannot save the rotation until all rotations have been identified for all terms in the **Select Terms** drop-down.

2.0 Patterns and Pattern Sets

In MyEducation BC, schedule patterns represent all of the different ways course sections meet in your school's schedule. Schedule patterns consist of a course's days per cycle and periods per cycle. Patterns are always built based on the Flat schedule.

To create a schedule pattern, you determine the size (days and period), style, and terms of the pattern. Depending on your selections, MyEducation BC provides you with a clickable Days/Period grid in which you click boxes to select the possible meeting times within the pattern:



In order to build your schedule, you need to map out all schedule patterns valid for your master schedule. Schedule patterns have different shapes. For example, courses meet on the all days in a period have a different shape, than courses that meet every other day in a period.

Note: To give you a head start, MyEducation BC can initialize your schedule patterns from your current year's master schedule. But, if you rotated your current schedule, it is better to create your schedule patterns from scratch.


Notes: To copy patterns from another school, click Copy Patterns on the Options menu. Select which school you want to copy from, and either select the Copy all checkbox, or select each pattern you want to copy.

You do not have to delete patterns from the Global tab. If you do not use them, the system will ignore them.

After you create all of your schedule patterns, group your patterns into pattern sets that apply to the different meeting shapes of courses. For example, you might create pattern sets named Full Year and another named Semester.

2.1 Pattern Library

Within the Pattern Library create all schedule patterns that could be assigned to courses in your school:




The screenshot shows the 'Patterns' page in the system. At the top, there are navigation tabs: Pages, Scenario, Workspace, Courses, Student, Staff, Rooms, Rules, and Global. Below the tabs, there are buttons for Options, Reports, and Help, along with a search bar and filter icons. A criteria bar shows 'Days = All, Periods = All, PPC = All, Pattern Style = All, Pattern Type = All'. Below this is a table with the following columns: Pattern, Days, Periods, PPC, TPY, and PatternType. The table contains 12 rows of data.

Pattern	Days	Periods	PPC	TPY	PatternType
<input type="checkbox"/> A(1)	1	2	1	0/0 (0)	
<input type="checkbox"/> A(1)	2	7	1	0/0 (0)	Flat
<input type="checkbox"/> A(1-2)	2	7	2	0/0 (0)	
<input type="checkbox"/> A(2)	2	7	1	0/0 (0)	Flat
<input type="checkbox"/> A-B(1)	2	7	2	0/0 (0)	Flat
<input type="checkbox"/> A-B(2)	2	7	2	0/0 (0)	Flat
<input type="checkbox"/> B(1)	1	2	1	0/0 (0)	
<input type="checkbox"/> B(1)	2	7	1	0/0 (0)	Flat
<input type="checkbox"/> B(1-2)	2	7	2	0/0 (0)	
<input type="checkbox"/> B(2)	2	7	1	0/0 (0)	Flat
<input type="checkbox"/> C(1)	2	7	1	0/0 (0)	Flat

To create a Simple Schedule Pattern:

1. Log on to the Build view.
2. Click the Global tab.
3. Click the Pattern Library side-tab.
4. On the Options menu, click Add. The New Schedule Pattern page appears:

In the area at the top of the page, you define the shape of each pattern:



The screenshot shows the 'New Schedule Pattern' form. It includes a 'Schedule pattern style' dropdown menu, a 'Days' input field, a 'Periods' input field, and a 'Terms' dropdown menu. There are also checkboxes for 'By period' and 'By day'.

5. At the Schedule pattern style drop-down, select one of the following:

Simple Use simple patterns to create patterns for courses that meet on a fixed schedule of days and periods during a cycle. For example, courses that meet first period every day.

Recommendation: This is the most common type of pattern that schools in BC will need to create.

Compound Use compound patterns to create patterns for courses that have complicated shapes, such as lab courses, by combining a simple pattern and a list of child patterns. For example, courses that meet second period every day, and an additional consecutive period once per week.

6. Type the number of Days and Periods in this schedule pattern to create a matrix for selecting the possible period/day combinations.

Note: If you have defined days and periods for this scenario, those values default in these fields. Do not change these values unless this scenario has multiple bell schedules.

7. To determine the schedule terms this pattern applies to, click the Terms drop-down to select one of the following:

Do not use: This pattern can be used for any schedule term. You should select this for most patterns. For example, the system can use an everyday pattern to schedule a first semester, second semester, or all-year course.

Same across terms: This pattern applies to a particular schedule term and has the same day and period across terms. Then, type the number of terms in the empty box. For example, assume a course meets every day during the first and third trimester. After you select this checkbox, type 2 in the empty box, and press TAB; two Term boxes appear above the matrix. Select the terms for which you want this pattern to apply.

Vary across terms: This pattern only applies to a particular schedule term and has different days and periods for different terms. Then, type the number of terms in the empty box. After you type the number of terms to which this pattern applies, the system displays that number of matrices, for each of which you paint the appropriate patterns. (This option is not common.)

Recommendation: This option can be used when a school wants the Build engine to determine if the sections should be FY or Semester. The following is an example:

Hugh Boyd Secondary 2017-2018 Build View ▾
 1 10Jan17

Pages Scenario Workspace Courses Student Staff Rooms Rules Global

Patterns :: New Schedule Pattern

Pattern Library ▾ Details

Options ▾ Reports ▾ Help ▾

Save Cancel

Pattern Sets

Requests

Logs

Reference

Schedule pattern style: Simple ▾

Days: 2

Periods: 7

Terms: Vary across terms ▾ 2

Schedule pattern type: ▾

[Explode pattern on save](#)

By period:

By day:

Terms: [] []

Days

	A	2
1	[]	
B		
C		
D		
E		

Periods

Hugh Boyd Secondary 2017-2018 Build View ▾
 1 10Jan17

Pages Scenario Workspace Courses Student Staff Rooms Rules Global

Patterns :: New Schedule Pattern

Pattern Library ▾ Details

Options ▾ Reports ▾ Help ▾

Save Cancel

Pattern Sets

Requests

Logs

Reference

Schedule pattern style: Simple ▾

Days: 2

Periods: 7

Terms: Vary across terms ▾ 2

Schedule pattern type: ▾

[Explode pattern on save](#)

By period:

By day:

Terms: [] []

Days

	A	2
1	[]	
B		
C		
D		
E		

Periods

In the above images there is a pattern of 1(A-B) for semester 1 but NO PATTERNS in semester 2

- Click the Schedule pattern type drop-down to select one of the following (for information purposes only – not required)

Recommendation: This can be left blank for schools in BC:

Flat: A pattern that meets the same number of days, the same number of periods each cycle.

Free Form: A pattern that meets any days and periods without a clear shape.

Lab: A pattern that meets one flat block, with an extra period(s) on certain days.

- You can explode Simple and Compound pattern types. Below **Explode pattern on save**, select the **By period** and **By day** checkboxes if you want the system to create every possible pattern based on the pattern you create in the grid after you click **Save**. Exploding patterns minimizes the number of patterns you actually define. Most schools need to define only a few patterns, and the system creates all versions of that pattern for them. For example, if you explode a simple pattern with two schedule days 1(A-B) by period, the system creates patterns for 2(A-B), 3(A-B), 4(A-B), and 5 (A-B).

Note: By period pushes the pattern down, and By day pushes the pattern across.

- In the grid, click the boxes that represent the periods and days of this schedule pattern.

Note: To select all unselected or deselect all selected days in a column, click the Days column header. To select all unselected or deselect all selected periods in a row, click the Period row header.

- Click **Save**

Create Compound Patterns

Compound Patterns do not need to be used; they help reduce the number of patterns created for courses with complicated shapes, especially lab courses. A compound pattern contains a primary (simple) pattern and a list of its child patterns. Each child pattern is automatically combined with the primary pattern for use by the scheduling engine.

To create compound patterns:

- When defining a schedule pattern, at the **Schedule pattern style** field, select **Compound**. The page displays the **Days/Period** grid for the **Primary** pattern, with the **Compound** patterns list at the bottom.
- Click the boxes in the **Days/Periods** grid to define the **Primary** pattern, such as every day, Period 1.
- Below the **Compound patterns** list box, click **Add** to add the child pattern of the primary pattern. A dialog box with the **Days/Period** grid for the child pattern appears. For example, this course needs to meet an additional period, two days per cycle:
- You can explode the pattern **By period** or **By day**. For example, if you explode the pattern by day, the system creates a pattern in the **Compound patterns** list for every possibility of a course meeting two periods per week, with a day in between, such as 2(B-D), 2(C,E), and 2 (D,F).

5. Click **OK** to add this child pattern to the Compound patterns list at the bottom of the page.
6. Click **Combined view** for each child pattern to view the grid for that compound pattern:
7. Evaluate the pattern. If you want to delete a pattern, select the pattern in the **Compound patterns** list box, and click **Delete**.
8. Continue to click **Add** to add any additional possibilities for the extra periods for this pattern.

The screenshot shows the 'Patterns :: New Schedule Pattern' window. On the left is a sidebar with 'Pattern Library > Details', 'Pattern Sets', 'Requests', 'Logs', and 'Reference'. The main area has a 'Schedule pattern style' dropdown set to 'Compound', 'Days' set to 2, 'Periods' set to 7, and 'Terms' set to 'Do not use'. There are 'Save' and 'Cancel' buttons. Below this are two grid views: 'Primary pattern' and 'Combined pattern'. Both grids have 'Days' on the x-axis (1, 2) and 'Periods' on the y-axis (A, B, C, D, E, F, G). The 'Primary pattern' has a blue square at (1, A). The 'Combined pattern' has blue squares at (1, A) and (2, F). Below the grids is a 'Compound patterns' table:

Pattern view	Number of days	Number of periods	Periods per cycle
<input type="checkbox"/> E(2)	2	7	1

At the bottom right of the table are 'Add' and 'Delete' buttons. The interface also includes a 'Printer Friendly Version' link and a 'Default Template' dropdown.

9. Click **Save**.

2.2 Pattern Sets

After you create schedule patterns, you need to group these patterns into pattern sets. Then you attach a pattern set to every course. This is the information that the scheduling engine uses to figure out how to schedule sections of courses.

Create course pattern sets for each of your different shapes of courses. For example, you might create pattern sets named Every day, Alt. days Regular, After School, etc. Then, associate each course with a proper pattern set, based on the shape of the course

Note: Do not delete pattern sets from the Global tab. If you never attach a course to a pattern set and never use it, the scheduling engine ignores it

To create a pattern set:

1. Log on to the Build view.
2. Click the **Global** tab.
3. Click the **Pattern Sets** side-tab.

Note: You can also create a pattern set on the Pattern Library side-tab. Select the patterns you want to group into a pattern set. Then, on the Options menu, click Add to Pattern Set.

4. On the **Options** menu, click **Add**. The **New Schedule Pattern Set** page appears.
5. Define the name of the pattern set, such as **Alt. days**.
6. Click **Save**.
7. On the **Pattern Sets** side-tab, click **Patterns**.
8. On the **Options** menu, click **Add**. The Schedule Pattern dialog box appears.
9. Select the patterns you want to add to the pattern set, and click OK. These patterns become part of the pattern set.

Name	Owner Type
Combined Studies Patterns	School
English 8	School
Everyday	School
Hair Program	School
Non Scheduled Classes Patterns	School
Regular Year Long Courses	School
sample	School

10. Continue creating Pattern Sets until you have all combinations your school requires.

3.0 Appendix A: Determining a School’s Rotation

The following section outlines a process for determining the number of Rotated Days required for a school. There is no exact “one way to do this,” but the following should be of assistance as you work with individual schools.

1. Write down all the unique tumbles/rotations/bell schedules currently at the school. This information comes from a variety of places (and should be looked at and integrated together):
 - BCeSIS – Tumble patterns screen, Attendance Calendar;
 - MyEd – Bell schedules currently in use;
 - A schools website – Most schools post their ‘block rotation’;
 - Discussions with the school.

Using all of this information, the following table was created:

Mon1	Mon2	Mon3	Mon4
13	13	13	13
1	2	3	4
2	1	4	3
3	4	1	2
4	3	2	1
Tues1	Tues2	Tues3	Tues4
12	12	12	12
14	14	14	14
1	2	3	4
2	1	4	3
3	4	1	2
4	3	2	1
9	9	9	9
Wed1	Wed2	Wed3	Wed4
13	13	13	13
1	2	3	4
2	1	4	3
3	4	1	2
4	3	2	1
Thurs1	Thurs2	Thurs3	Thurs4
12	12	12	12
1	2	3	4
2	1	4	3
3	4	1	2
4	3	2	1
Fri1	Fri2	Fri3	Fri4
14	14	14	14
1	2	3	4
2	1	4	3
3	4	1	2
4	3	2	1

- Analyze the information to determine any patterns. In the above example it was determined that during a given week this school does the following and information was color coded:

Week 1 - Mon1, Tues2, Wed3, Thurs4, Fri1 < **YELLOW** >

Week 2 – Mon2, Tues3, Wed4, Thurs1, Fri2 < **RED** >

Week 3 – Mon3, Tues4, Wed1, Thurs2, Fri3 < **GREEN** >

Week 4 – Mon4, Tues1, Wed2, Thurs3, Fri4 < **GREY** >

- Determine the ‘core’ periods used during the day to schedule sections. This information was gathered by looking at the school’s website and seeing that they outline four time slots during the day; then reviewing the existing Master Schedule in MyEd (or BCeSIS) to determine in which periods Math, English, Science and Social Studies are scheduled (these four courses at all grade levels tend to be in what schools refer to as regular periods). Sections scheduled in the upper periods 5 -14, were then reviewed to double check the ‘core’ periods.
- Write down all the unique orders of these ‘core’ periods and place non-core periods at the end, as in the example below:

1	2	3	4
2	1	4	3
3	4	1	2
4	3	2	1
9	9	9	9
12	12	12	12
13	13	13	13
14	14	14	14

This school had four unique rotations of the ‘core’ periods

- This information was then used to determine the school needs to Rotate the schedule out to 4 Days:

Day 1 Rotation	Day 2 Rotation	Day 3 Rotation	Day 4 Rotation
1	2	3	4
2	1	4	3
3	4	1	2
4	3	2	1
9	9	9	9
12	12	12	12
13	13	13	13
14	14	14	14

6. In MyEducation BC, Build view> Scenario top tab > Rotations side tab > the following Rotation would be created:

The screenshot displays the MyEducation BC interface for configuring a rotation. The main window shows 'Summerland Secondary 2014-2015' and 'Version 1 Rotation'. The 'Rotations' side tab is active, showing '4 Day Rotation' details. The 'Rotated dimensions' are set to 4 days and 14 periods. Below, the 'Original Schedule' and 'Rotated Schedule' are compared. The 'Original Schedule' shows a standard 14-day period grid. The 'Rotated Schedule' shows a 4-day cycle where each day has 4 periods, and the cycle repeats over 14 days.

Note: This scenario was created with a Build year context of the current year (due to setup requirements). The dates should in fact be for the coming school year.

7. This school would then require 1 Bell Schedule, which could be created in August:

Bell Period number	Bell Period Identifier	Period Name	Start Time	Duration (Minutes)
1	1	1	8:40 AM	80
2	2	2	10:05 AM	80
3	3	3	11:40 AM	75
4	4	4	1:40 PM	80
9	9	9	3:00 PM	60
12	12	12	3:00 PM	60
13	13	13	3:00 PM	60
14	14	14	3:00 PM	60

There would be additional options for the times of Bell Period Numbers 9-14 that could be explored in August.

8. The final step would be to create the School's Calendar, which would be done in the August timeframe. Below is a representation of the Calendar and how it would look:

Date:	Day
Mon Sept. 7	Labour Day
Tues Sept. 8	2
Wed Sept. 9	3
Thur Sept. 10	4
Fri Sept. 11	1
Mon Sept. 14	2
Tues Sept. 15	3
Wed Sept. 16	4
Thur Sept. 17	1
Fri Sept. 18	2
Mon Sept. 21	3
Tues Sept. 22	4
Wed Sept. 23	1
Thur Sept. 24	2
Fri Sept. 25	3
Mon Sept. 28	4
Tues Sept. 29	1
Wed Sept. 30	2
Thur Oct. 1	3
Fri Oct. 2	4
Mon Sept. 28	1
Tues Sept. 29	2
Wed Sept. 30	3
Thur Oct. 1	4
Fri Oct. 2	1

4.0 Appendix B: Full Year and Semester Option

This section outlines the setup steps required to have the Build engine determine if sections of a course should be Full Year or Semesters. It is not required if you are going to manually do this.

4.1.1 Structure

The structure of a scenario must contain both Full Year terms and Semester terms:

Name	OwnerType
Combined Studies Patterns	School
English 8	School
Everyday	School
Hair Program	School
Non Scheduled Classes Patterns	School
Regular Year Long Courses	School
sample	School

4.1.2 Patterns

Patterns need to be created and added to the Pattern Library that represent the periods Full Year or Semester sections could possible meet.

From the Global > Patterns > Options > Add, create this pattern:

Terms: [Bar 1] [Bar 2]

Days: A 2

Periods: 1, B, C, D, E

Repeat for all possible periods in the first semester as in the screen capture below.

Note the asterisk in point number 2. This indicates the pattern is varying across terms.

Point number three indicates in which of the 2 semesters, these periods are represented (10 indicates 1st semester).

Hugh Boyd Secondary 2017-2018
1 10Jan17

Pages Scenario Workspace Courses Student Staff Rooms Rules **Global**

Patterns

Pattern Library Details

Options Reports Help Search on Pattern

Criteria Days = All; Periods = All; PPC = All; Pattern Style = All; Pattern Type = All

Change Filter...

0 of 25 selected

Pattern	Days	Periods	PPC	TPY	PatternType
<input type="checkbox"/> 1(A-2)*	2	7	2	1/2 (10)	

Next create another set of patterns that represent the second semester:

This time select the small table representing the second semester, as has been done in number 3 below.

Hugh Boyd Secondary 2017-2018
1 10Jan17

Pages Scenario Workspace Courses Student Staff Rooms Rules **Global**

Patterns :: New Schedule Pattern

Pattern Library Details

Options Reports Help

Save Cancel

Schedule pattern style: Simple

Days: 2

Periods: 7

Terms: Vary across terms 2

Schedule pattern type: [dropdown]

Explode pattern on save

By period:

By day:

Terms: [dropdown]

Days:

	A	2
1	[selected]	
B		
C		
D		
E		

Repeat for all possible periods in the second semester as in the screen capture below.

Pages Scenario Workspace Courses Student Staff Rooms Rules Global

Patterns

Pattern Library Details Options Reports Help Search on Pattern

Criteria Days = All; Periods = All; PPC = All; Pattern Style = All; Pattern Type = All; Change Filter...

0 of 26 selected

Pattern	Days	Periods	PPC	TPY	PatternType
<input type="checkbox"/> 1(A-2) *	2	7	2	1/2 (10)	
<input type="checkbox"/> 1(A-2) *	2	7	2	1/2 (01)	

Note that there are now 2 records for each period, the difference between the two can be seen in the TPY column.

The semester 2 patterns are represented by 01.

Next ensure you have patterns that represent just sections that could be offered Full Year. The image below shows a 2 day school with all the possible patterns that a Full Year or Semester section could be scheduled into:

Hugh Boyd Secondary 2017-2018 110Jan17 Build View Select School

Pages Scenario Workspace Courses Student Staff Rooms Rules Global

Patterns

Pattern Library Details Options Reports Help Search on Pattern

Criteria Days = All; Periods = All; PPC = All; Pattern Style = All; Pattern Type = All; Change Filter...

0 of 26 selected

Pattern	Days	Periods	PPC	TPY	PatternType
<input type="checkbox"/> 1(A-2) *	2	7	2	1/2 (10)	
<input type="checkbox"/> 1(A-2) *	2	7	2	1/2 (01)	
<input type="checkbox"/> A(1)	1	2	1	0/0 (0)	
<input type="checkbox"/> A(1)	2	7	1	0/0 (0)	Flat
<input type="checkbox"/> A(1-2)	2	7	2	0/0 (0)	
<input type="checkbox"/> A(2)	2	7	1	0/0 (0)	Flat
<input type="checkbox"/> A-B(1)	2	7	2	0/0 (0)	Flat
<input type="checkbox"/> A-B(2)	2	7	2	0/0 (0)	Flat
<input type="checkbox"/> B(1)	1	2	1	0/0 (0)	
<input type="checkbox"/> B(1)	2	7	1	0/0 (0)	Flat
<input type="checkbox"/> B(1-2)	2	7	2	0/0 (0)	
<input type="checkbox"/> B(2)	2	7	1	0/0 (0)	Flat

4.1.3 Pattern Set

Once created, the patterns need to be grouped into a set with an appropriate name to indicate this set should be used for Full Year and Semester sections.

Global > Pattern Set > Options > Add > Enter the Name > Save

Next click the side leaf Patterns > Options > Add > from the popup window, select all patterns that should be included:

Pattern Sets :: Everyday & Alt days Reg

Search on PatternType

Pattern	Days	Periods	PPC	TPY	PatternType	PatternStyle
<input checked="" type="checkbox"/> 1(A-2) *	2	7	2	1/2 (10)		Simple
<input checked="" type="checkbox"/> 1(A-2) *	2	7	2	1/2 (01)		Simple
<input type="checkbox"/> A(1)	1	2	1	0/0 (0)		Simple
<input type="checkbox"/> A(1-2)	2	7	2	0/0 (0)		Simple
<input type="checkbox"/> B(1)	1	2	1	0/0 (0)		Simple
<input type="checkbox"/> B(1-2)	2	7	2	0/0 (0)		Simple
<input type="checkbox"/> C(1-2)	2	7	2	0/0 (0)		Simple
<input type="checkbox"/> D(1-2)	2	7	2	0/0 (0)		Simple

4.1.4 Course setup

In the Course > Detail > Required area > set the course up to represent a Full Year course and choose the special pattern set created in the previous step: The course setup should look like the following image:

Courses :: A2DP-12DPB - AP 2-D DESIGN PORTFOLIO 12

Details

Master type * Class

Number * A2DP-12DPB

Department Fine Arts

Description AP 2-D DESIGN PORTFOLIO 12

Short description A2DP-12

Credit 4.0

Weight 1.0

Academic level Regular

Course package

Include in scheduling

Sections scheduled 75

Section enrollment max 0

Covered terms per year 1

Base terms per year * 1

Periods per cycle 1.0

Schedule Pattern Set > Name Everyday & Alt days Reg

4.1.5 Build

When the Build is run (covered in Scheduling Module 8) it will choose, based on all parameters entered, which sections will be scheduled as FY and which in S1 or S2:

Sections 0 of 8 selected *Custom Selection*

Course	SecNo	ScheduleTerm > Code	Schedule	Primary Staff > Name	PrimaryRoom > Num	Inclusion?	Total	Max	SecType	Platoon	SysRank
<input type="checkbox"/> MIEN-12-001	001	FY	1(1)		J-MAT	N	0	30			26
<input type="checkbox"/> MIEN-12-002	002	S1	4(1-2)		J-Libr	N	0	30			25
<input type="checkbox"/> MIEN-12-003	003	S2	4(1-2)		J102	N	0	30			29
<input type="checkbox"/> MIEN-12-004	004	S2	2(1-2)		J-MAT	N	0	30			27
<input type="checkbox"/> MIEN-12-005	005	FY	3(1)		J-MAT	N	0	30			30
<input type="checkbox"/> MIEN-12-006	006	S1	2(1-2)		J201	N	0	30			164
<input type="checkbox"/> MIEN-12-007	007	FY	3(2)		J203	N	0	30			163
<input type="checkbox"/> MIEN-12-008	008	FY	1(2)		J121	N	0	30			159